



CONNEXOON

WINDOW

Thank you !



for choosing

CONNEXOON
WINDOW

Need more information? Need
assistance? www.somfy.co.uk

CONNEXOON



CONNEXOON
WINDOW



Connexoon Window RTS app is a new way to control your motorised blinds and curtains.

Enjoy the experience of controlling your RTS motorised solutions from your smartphone, and enjoy the many benefits they provide: light management, privacy and convenience.

Connexoon Window RTS

Compatible with RTS motorised blinds and curtains. Available on Android and IOS smartphones

CONNEXOON

STAY IN CONTROL

Connexoon Window RTS, is a user friendly interface with 3 key functions

CENTRALISATION

Open and close your all your equipment with a simple click.

TIMER


Schedule the opening and closing of your equipment at the time and date of your choice, and simulate your presence.

AMBIANCE REPLAY

In one click, repeat a preset ambiance scenario that you have programmed for opening and closing blinds and linking with lights.

CONNEXOON


Connexoon window RTS is compatible with:



interior roller
blind



interior
venetian blind



curtains



roman blind



cellular blind



zebra blind



light



plug



Philips Hue

CONTENTS

[1] Connexoon

- The Pack
- The Connexoon unit

[2] Installing Connexoon

- Registering RTS products in the Connexoon unit (prog-prog)
- Activating the Connexoon unit
- Downloading the Connexoon application
- Customising previously saved RTS products in the application from the unit

[3] Using Connexoon Window

- The interface
- Controlling my products
- Simplify your life: scenarios and ambiances
- My timer

[4] Managing my installation

- Control panel
- Messaging system
- Settings
- My account
- Help
- Legal notices

[5] Advanced functions of the installation

- Renaming your products in the application
- Saving your RTS products via the application
- Deleting your RTS products via the application




[1] CONNEXOON

A. THE PACK

1



2



3



4



5




6



The pack contains

- 1 Connexoon RTS Unit
- 2 USB cable
- 3 Mains adapter
- 4 Ethernet cable
- 5 2 Quick installation guides (installer and end user)
- 6 Legal notices

B. THE CONNEXOON UNIT



PROG

SELECT

LAN

USB

The SELECT button enables the channel to be selected (6 available channels)


The USB port enables the Connexion unit to be supplied via a power cable.

The PROG button enables your motorised Somfy products to be registered in your Connexion RTS unit, without an internet connection. [Connexion \(prog-prog\)](#)


The LAN socket enables the Connexion unit to be connected to the internet unit via an ethernet cable.



The LED indicator light shows the status of the unit, as well as the actions in progress.



[2] INSTALLATION CONNEXOON



A. REGISTERING

RTS products in the Connexoon unit (prog-prog)

Registering your products may be carried out without an internet connection and without having activated the account, using the following simplified procedure.


[1] Switch on Connexoon

[2] Press the equipment's individual control point Prog button for 2 seconds

[3.1] Select the channel on which you wish to register the product (channel 1 to channel 6) by briefly pressing the SEL button. The LED on the side of the unit indicates which channel you are on.

[3.2] Press the PROG (PRG) button on the Connexoon unit for 0.5 of a second. Once the product has been saved it will then perform an up and down movement.

[4] Tip: to remove a product that has already been registered, you just need to select the channel on which it has been registered and follow the procedure (points 2 to 3.2) described below.




A. REGISTER

RTS products in the Connexoon unit (prog-prog)

To test that products have been correctly registered in your Connexoon unit:

- [1] Select the channel on which you wish to carry out the register test
- [2] Press the PROG and SEL buttons simultaneously for 0.5 of a second.
The registered product then performs a movement.
To stop this movement, press the PROG and SEL buttons again briefly.
To make the movement in the reverse direction, press the PROG and SEL buttons a third time, etc.
=> see process described opposite




B. ACTIVATING THE CONNEXOON UNIT

Connect to
somfy-connect.com




Step 1




Check that your Connexoon unit and your internet box are correctly connected, via the ethernet cable. (Green LED)

Step 2



Enter your information

Step 3



Choose your device

Step 4



Enter your PIN code



B. ACTIVATE THE CONNEXOON UNIT


Connexoon Window activation steps

Step 5




Login and password

Step 6




Enter your personal information

Step 7



Summary


Step 8




Confirmation

B. ACTIVATING THE CONNEXOON UNIT

Receipt of the confirmation email



Confirmation email




C. DOWNLOADING THE CONNEXOON WINDOW RTS APPLICATION



Download the smartphone application
Connexoon Window available for IOS and Android.

C. DOWNLOADING THE RTS CONNEXOON WINDOW APPLICATION



[A] Enter the email address and password that you have defined during the activation of your RTS Connexoon window unit
([see page 14, Activation screen](#))



[B] Set your personal identity.
Your identity enables you to find out what actions have been performed from your Smartphone.


You can change your identity at any time in the "settings" tab in the  menu
([see page 36, my account menu](#))




D. FIRST USE: CUSTOMISING REGISTERED EQUIPMENT RAPIDLY (VIA PRO-PROG)



[A] To complete your installation, you need to customise the registered equipment. Click on the pencil positioned to the right of the equipment to be customised.



[B.1] Click "identify" to display the equipment concerned. The equipment will then make an up and down movement or flash (lights).



[B.2] Select the icon for your equipment from the 20 available icons. Click "next"



[C] Name your equipment in the grey field, then press "save".

Do this again to customise all of your equipment

[3]

USE CONNEXOON WINDOW RTS

A. THE INTERFACE

Menu

Weather


Home page:
Modes
Scenarios
Prog. timer

Mode editor


Need assistance?

Pre-set and customised modes

Products registered
in Connexoon



B. CONTROL MY PRODUCTS




[A] You can control your blinds, curtains, lighting, within the grey frame located at the bottom of your interface.

Scroll-down the list by dragging it right or left. Press the icon of the product that you wish to control.

[B] Adjust the position of your equipment by pressing the arrows or the "my" button. This will cause your equipment to move. Press "back" to return to the home page.

[!] Equipment with adjustable slats. To vary the position of the slats, press the circles on the left of the screen. The more round and large a circle is, the greater the slat's angle of rotation.

C. SIMPLIFY YOUR LIFE: SCENARIOS



- Connexoon Window RTS offers 4 scenarios
 - At home
 - Away
 - Sun protection
 - Privacy

Customise any of these scenarios by selecting the actions that you wish to perform (open or close your blinds, your curtains, switch your lights on or off, etc.) and by activating or deactivating your programmes.

These scenarios have a default setting, which includes all your equipment.

Change your scenarios in just one click.

Eg: you are going on holiday, one press closes your selected blinds, switches off your lights and activates the simulated presence mode you have programmed.

C. SIMPLIFY YOUR LIFE: SCENARIOS



[A] Press  to programme a scenario


[B] Select the scenario that you want to customise:

- At home
- Away
- Sun protection
- Privacy

[C] For each scenario:

- Select the equipment that you want to operate, then confirm the order in which you wish to allocate it
- Select the timer and/or presence simulation if you want to activate or deactivate them, when you exit the scenario.
- To choose "activate", move the selector towards the right (green), to choose "deactivate", move it towards the left (white).
- Press OK to confirm customisation of your scenario


D. SIMPLIFY YOUR LIFE: AMBIANCES



This function enables you to save your favourite ambiances and change them in one click, as often as you want.

E.g.: My remote ambiance closes the lounge curtains, switches off the light and lights up the strip of LEDs behind the television.

D. SIMPLIFY YOUR LIFE: AMBIANCES



[A] After pressing the button  to edit your ambiances, select the one you want to amend by pressing .



[B] To customise your ambiance, Connexoon enables you to take a photo of your setup. Press icon  to capture the setup.

D. SIMPLIFY YOUR LIFE: AMBIANCES

[C] To customise your ambiance using an icon, press 

To customise your ambiance with a photo/image from your photo gallery, press 

To take a photo again, press 


[D] Name your ambiance

[E] Select the equipment that you want to include in your ambiance

[F] Press the equipment icons to adjust them




[H] Confirm your ambiance to save it



[G] Choose the position of the product that you want to associate with the programmed ambiance. Press OK.

E. TIMER



Click on the icon  to access the timer menu.

The timer enables actions to be scheduled on my equipment at a particular time.

E. TIMER



[A] Press  to access the "Timer" menu, then  to configure this function

Activate or deactivate...
your timer



[B] Press  to add a new timer programme

E. TIMER




[C] Name your timer programme
(e.g.: morning, wake-up, sunlight, evening, bedtime, etc.)

[D] you can define a timer programme
OR
choose to use the "sunset" or "sunrise" functions. You can adjust this setting by using the lower cursor.


[E] Select the days on which you want your timer to activate.

[F] Select the equipment you want to operate by ticking the box to its left.
Click on the equipment icon to set the order that you wish to allocate it.



[4] MANAGE MY INSTALLATION

MANAGE MY INSTALLATION




By clicking on menu  , you can access several configuration and management functions for your Connexoon Window application:

- the control panel
- your messaging system
- the application settings
- your account
- your system's configuration
- help
- legal notices
- disconnection of your application

The "configuration" menu provides access to the advanced installation functions.

A. CONTROL PANEL




This menu enables you to display the history of the actions taken on all your connected equipment.

● The red dot indicates that command has been intentionally stopped.


Press the icon + for more information.

B. MESSAGING SYSTEM



You will find all the information on forthcoming updates and new features in the Connexoon messaging system.

C. SETTINGS



Geolocalise your home for local weather information



Activate/Deactivate the weather display on the home page




Activate/Deactivate the help button display




on the right of all the screens


D. MY ACCOUNT



In this tab, you will find the information that you have entered when activating Connexoon.



Press the arrow to access the modification page for your identity.



E. HELP



..... You or your installer can fill out this tab. This will enable you to contact him directly if you have any questions.

..... You can also contact Somfy customer services (technical.uk@somfy.com).




Direct link to make a call



Direct link to send an email

F. LEGAL NOTICES



The "legal notices" menu enables you to find all of the legal notices and precautions for use.

[5] ADVANCED FUNCTIONS OF THE INSTALLATION

ADVANCED INSTALLATION FUNCTIONS





In this menu, you can:

- Register new RTS equipment compatible with your Connexoon.
- Remove equipment registered on your Connexoon

To access these functions press 

A. RENAMING YOUR PRODUCTS IN THE APPLICATION




[A] Press menu 

[B] Press the configuration tab

[C] Press on the pencil  to the right of the equipment to change its name

A. RENAMING YOUR PRODUCTS IN THE APPLICATION




[D] You can rename your product by editing the "name" field in the grey rectangle positioned at the top of the screen.

To check that it is the right product to be renamed, press "identify". The product will then make an up and down movement or flash.

To stop identification, press "stop".

Press "save" to save the new name.

B. REGISTER RTS EQUIPMENT ON YOUR CONNEXOON



[A] Press the menu 

[B] Press the configuration tab

[C] Press




B. REGISTER RTS EQUIPMENT ON YOUR CONNEXOON



[D] Select the type of product that you wish to add to the installation: RTS motors/ actuators or Philips Hue lights, then confirm by pressing 




[E] Select the icon representing the product that you want to register on the Connexoon unit.




[F] Test the product by controlling it from the wall control unit or remote control. Ensure that the control only actuates the product being added.


B. REGISTER RTS EQUIPMENT ON YOUR CONNEXOON



[G] Press the PROG button of the handset of the product to be added until it makes an up and down movement (or flashes). You then have 2 minutes to confirm by pressing "add"




[H] Check the product has been successfully registered by pressing "test". The product will move (or flash) for 5 seconds.




[I] Press OK if your product has moved, or "start again" if it has not. If the product does not move after several tests, click "cancel".

B. REGISTER RTS EQUIPMENT ON YOUR CONNEXOON






[J] Name your product, then press OK



[K] The product then appears on your list.

C. REMOVING RTS PRODUCTS VIA THE APPLICATION



[C] Press 


[B] Ensure that the control only actuates the product to be removed. Test the product by controlling it from the wall switch or handset.

[C] Press the PROG button of the control actuating the product to be removed for about 3 seconds, until it makes an up and down movement (or flashes). You then have 2 minutes to confirm by pressing "delete"

C. REMOVING RTS PRODUCTS VIA THE APPLICATION



[A] Test that removal has been successful by pressing "test".
If removal has successfully taken place, the product will not respond.



[B] Press OK if your product has not moved, or "start again" if it has not.



[C] Press OK to close the procedure.